



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
[Search: The ACM Digital Library](#) [The Guide](#)

[THE ACM DIGITAL LIBRARY](#)
[Feedback](#)

(hash and table and signature and width and word and capture and image and location) and (compare or match)

Published before December 2004

For

Terms used:

[hash](#) [table](#) [signature](#) [width](#) [word](#) [capture](#) [image](#) [location](#) [compare](#) [match](#)

Sort results by relevance

[Save results to a Binder](#)

Refine these results with [Advanced search](#)

Display results in expanded form

[Open results in a new window](#)

Try this search in [The ACM Guide](#)

Results 1 - 6 of 6

1 [Level set and PDE methods for computer graphics](#)

David Breen, Ron Fedkiw, Ken Museth, Stanley Osher, Guillermo Sapiro, Ross Whitaker
August 2004 SIGGRAPH '04: ACM SIGGRAPH 2004 Course Notes

Publisher: ACM

Full text available: [pdf\(17.07 MB\)](#) Additional Information: [full citation](#), [abstract](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 54, Downloads (12 Months): 1416, Citation Count: 4

Level set methods, an important class of partial differential equation (PDE) methods, define dynamic surfaces implicitly as the level set (iso-surface) of a sampled, evolving nD function. The course begins with preparatory material that introduces the ...

2 [Rotation invariant distance measures for trajectories](#)

Michail Vlachos, D. Gunopoulos, Gautam Das
August 2004 KDD '04: Proceedings of the tenth ACM SIGKDD international conference on Knowledge discovery and data mining

Publisher: ACM

Full text available: [pdf\(305.87 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 104, Citation Count: 4

For the discovery of similar patterns in 1D time-series, it is very typical to perform a normalization of the data (for example a transformation so that the data follow a zero mean and unit standard deviation). Such transformations can reveal latent ...

Keywords: rotation invariance, time warping, trajectories

3 [External memory algorithms and data structures: dealing with massive data](#)

Jeffrey Scott Vitter
June 2001 ACM Computing Surveys (CSUR), Volume 33 Issue 2

Publisher: ACM

Full text available: [pdf\(828.46 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 50, Downloads (12 Months): 855, Citation Count: 63 Ads | Ac: | Res: | Ful: | boc: | anc: | Qu: | Lib: | www: |

Data sets in large applications are often too massive to fit completely inside the computers internal memory. The resulting input/output communication (or I/O) between fast internal memory and slower external memory (such as disks) can be a major performance ...

Keywords: B-tree, I/O, batched, block, disk, dynamic, extendible hashing, external memory, hierarchical memory, multidimensional access methods, multilevel memory, online, out-of-core, secondary storage, sorting

4 Code size minimization and retargetable assembly for custom EPIC and VLIW

◆ instruction formats

Shail Aditya, Scott A. Mahlke, B. Ramakrishna Rau
October 2000 ACM Transactions on Design Automation of Electronic Systems (TODAES), Volume 5 Issue 4

Publisher: ACM

Full text available:  [pdf\(568.33 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 39, Citation Count: 2

PICO is a fully automated system for designing the architecture and the microarchitecture of VLIW and EPIC processors. A serious concern with this class of processors, due to their very long instructions, is their code size. One focus of this paper is ...

Keywords: EPIC, VLIW, code size minimization, custom templates, design automation, instruction format design, noop compression, retargetable assembly

5 Shape-based retrieval and analysis of 3D models

◆ Thomas Funkhouser, Michael Kazhdan August 2004 SIGGRAPH '04: ACM SIGGRAPH 2004 Course Notes

Publisher: ACM

Full text available:  [pdf\(12.56 MB\)](#) Additional Information: [full citation](#), [abstract](#)

Bibliometrics: Downloads (6 Weeks): 20, Downloads (12 Months): 727, Citation Count: 0

Large repositories of 3D data are rapidly becoming available in several fields, including mechanical CAD, molecular biology, and computer graphics. As the number of 3D models grows, there is an increasing need for computer algorithms to help people find ...

6 An evaluation of multi-resolution storage for sensor networks

◆ Deepak Ganesan, Ben Greenstein, Denis Perelyubskiy, Deborah Estrin, John Heidemann November 2003 SenSys '03: Proceedings of the 1st international conference on Embedded networked sensor systems

Publisher: ACM

Full text available:  [pdf\(299.34 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 175, Citation Count: 29

Wireless sensor networks enable dense sensing of the environment, offering unprecedented opportunities for observing the physical world. Centralized data collection and analysis adversely impact sensor node lifetime. Previous sensor network research ...

Results 1 - 6 of 6

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)